## **List of Supplementary Files**

- Table S1. PRISMA checklist
- Table S2. Search strategy for peer-reviewed electronic databases
- Table S3. Risk of bias (quality) assessment of the included literature with Newcastle Ottawa Scale (NOS)
- Figure S1. Publication bias of studies included in the meta-analysis
- Figure S2. Meta-analysis of all included studies (without Yang AP et al)

Table S1. PRISMA checklist

Section/topic	#	Checklist item					
TITLE							
Title	1	1 Identify the report as a systematic review, meta-analysis, or both.					
ABSTRACT							
Structured summary	Provide a structured summary including, as applicable: background; objectives; data sources; study eligibility criteria, participants, and interventions; study appraisal and synthesis methods; results; limitations; conclusions and implications of key findings; systematic review registration number.						
INTRODUCTION							
Rationale	3	Describe the rationale for the review in the context of what is already known.	4				
Objectives	4	4 Provide an explicit statement of questions being addressed with reference to participants, interventions, comparisons, outcomes, and study design (PICOS).					
METHODS							
Protocol and registration	Indicate if a review protocol exists, if and where it can be accessed (e.g., Web address), and, if available, provide registration information including registration number.						
Eligibility criteria	6	Specify study characteristics (e.g., PICOS, length of follow-up) and report characteristics (e.g., years considered, language, publication status) used as criteria for eligibility, giving rationale.					
Information sources	7	Describe all information sources (e.g., databases with dates of coverage, contact with study authors to identify additional studies) in the search and date last searched.					
Search	8 Present full electronic search strategy for at least one database, including any limits used, such that it could be repeated.						
Study selection	selection 9 State the process for selecting studies (i.e., screening, eligibility, included in systematic review, and, if applicable, included in the meta-analysis).						
Data collection process	ection process  10 Describe method of data extraction from reports (e.g., piloted forms, independently, in duplicate) and any processes for obtaining and confirming data from investigators.						
Data items	11	List and define all variables for which data were sought (e.g., PICOS, funding sources) and any assumptions and simplifications made.					
Risk of bias in individual studies	ias in individual studies  12 Describe methods used for assessing risk of bias of individual studies (including specification of whether this was done at the study or outcome level), and how this information is to be used in any data synthesis.						
Summary measures	13	State the principal summary measures (e.g., risk ratio, difference in means).	7, 8				
Synthesis of results	hesis of results  14 Describe the methods of handling data and combining results of studies, if done, including measures of consistency (e.g., I <sup>2</sup> ) for each meta-analysis.						

Section/topic	# Checklist item							
Risk of bias across studies	15	Specify any assessment of risk of bias that may affect the cumulative evidence (e.g., publication bias, selective reporting within studies).						
Additional analyses	16	Describe methods of additional analyses (e.g., sensitivity or subgroup analyses, meta-regression), if done, indicating which we pre-specified.						
RESULTS								
Study selection	Give numbers of studies screened, assessed for eligibility, and included in the review, with reasons for exclusions at each stagideally with a flow diagram.							
Study characteristics	tudy characteristics  18 For each study, present characteristics for which data were extracted (e.g., study size, PICOS, follow-up period) and provide the citations.							
Risk of bias within studies	Present data on risk of bias of each study and, if available, any outcome level assessment (see item 12).							
Results of individual studies	20	For all outcomes considered (benefits or harms), present, for each study: (a) simple summary data for each intervention group (b) effect estimates and confidence intervals, ideally with a forest plot.						
Synthesis of results	21	Present results of each meta-analysis done, including confidence intervals and measures of consistency.	9, 10, 22					
Risk of bias across studies	across studies  22 Present results of any assessment of risk of bias across studies (see Item 15).							
Additional analysis	ditional analysis  23 Give results of additional analyses, if done (e.g., sensitivity or subgroup analyses, meta-regression [see Item 16]).							
DISCUSSION								
Summary of evidence	y of evidence 24 Summarize the main findings including the strength of evidence for each main outcome; consider their relevance to key groups (e.g., healthcare providers, users, and policy makers).							
Limitations	25	Discuss limitations at study and outcome level (e.g., risk of bias), and at review-level (e.g., incomplete retrieval of identified research, reporting bias).						
Conclusions	26	Provide a general interpretation of the results in the context of other evidence, and implications for future research.	15					
FUNDING								
Funding	27	Describe sources of funding for the systematic review and other support (e.g., supply of data); role of funders for the systematic review.	17					

From: Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 6(7): e1000097. doi:10.1371/journal.pmed1000097


**Table S2. Search strategy for peer-reviewed electronic databases.** The results showed the number of papers retrieved as of 23 July 2020.

Database	Search Terms	Hits					
Ovid MEDLINE	1. COVID-19	12					
	2. COVID19						
	3. COVID						
	4. "Coronavirus disease 2019"						
	5. 2019-nCoV						
	6. SARS-CoV-2						
	7. 1 OR 2 OR 3 OR 4 OR 5 OR 6						
	8. platelet-to-lymphocyte						
	9. PLR						
	10. 8 OR 9						
	11. Sever*						
	12. "Intensive care unit"						
	13. ICU						
	14. Mortality						
	15. Death						
	16. Non-survivor 17. 11 OR 12 OR 13 OR 14 OR 15 OR 16						
	18. 7 AND 10 AND 17	_					
EMBASE	1. COVID-19	5					
	2. COVID19						
	3. COVID						
	4. "Coronavirus disease 2019"						
	5. 2019-nCoV						
	6. SARS-CoV-2						
	7. 1 OR 2 OR 3 OR 4 OR 5 OR 6						
	8. platelet-to-lymphocyte						
	9. PLR						
	10. 8 OR 9						
	11. Sever*						
	12. "Intensive care unit"						
	13. ICU						
	14. Mortality						
	15. Death						
	16. Non-survivor						
	17. 11 OR 12 OR 13 OR 14 OR 15 OR 16						
	18. 7 AND 10 AND 16						
SCOPUS	(TITLE-ABS-KEY(COVID-19) OR TITLE-ABS-KEY(COVID19) OR TITLE-ABS-	6					
	KEY(COVID) OR TITLE-ABS-KEY("coronavirus disease 2019") OR TITLE-						
	ABS-KEY(2019-ncov) OR TITLE-ABS-KEY(sars-cov-2)) AND (TITLE-ABS-						
	KEY(platelet-to-lymphocyte) OR TITLE-ABS-KEY(PLR)) AND (TITLE-ABS-						
	KEY(sever*) OR TITLE-ABS-KEY("intensive care unit") OR TITLE-ABS-						
	KEY(ICU) OR TITLE-ABS-KEY(mortality) OR TITLE-ABS-KEY(death) OR						
	TITLE-ABS-KEY(non-survivor))						
The Cochrane	("Covid-19" OR "COVID19" OR "COVID" OR "coronavirus disease 2019" OR	0					
Library	"2019-nCoV" OR "SARS-CoV-2") in Title Abstract Keyword AND (platelet-to-	-					
,	lymphocyte OR PLR) in Title Abstract Keyword AND (sever* OR "intensive						
	care unit" OR ICU OR mortality OR death OR non-survivor)						
Total	Sale and Styles Orthonally Ort addition from Survivory	23					
ıvıaı	<u> </u>	23					

Table S3. Risk of bias (quality) assessment of the included literature with the Newcastle Ottawa Scale (NOS)

Author	Date of Publication	Study Location	Publication Type	Study Period	Study Design	Selection	Comparability	Outcome/Exposure	Risk of bias score
Qu R et al	12/03/2020	Huizhou, China	Peer-reviewed	Jan 20 to 21 Feb 20	Retrospective Observational	**	*	***	6
Yang AP et al	13/04/2020	China	Peer-reviewed	NR	Retrospective Observational	**	**	***	7
Gong J et al	16/04/2020	Guangzhou, China			Retrospective Observational	**	**	***	7
Zhu Z et al	17/04/2020	Ningbo, Zhejiang, China	Peer-reviewed		Retrospective Observational	**	**	***	7
Sun S et al	24/04/2020	Wenzhou, China	Peer-reviewed		Retrospective Observational	**	*	***	6
Zhou Y et al	16/06/2020	Wuhan, China	Peer-reviewed	1 Feb 20 to 15 Mar 20	Retrospective Observational	**	*	***	6
Ok F et al	10/07/2020	Siirt, Turkey	Peer-reviewed	Apr 20 to May 20	Retrospective Observational	**	**	***	7

**Figure S1. Publication bias of studies included in the meta-analysis.** Funnel Plot representing all the included studies. SMD = Standardized Mean Difference, SE(SMD) = Standard Error of the SMD.



**Figure S2. Meta-analysis of all included studies (without Yang AP et al).** Forest Plot using the inverse variance fixed-effect model showing the association between PLR value on admission and severity of COVID-19

	S	evere		No	n-severe			Std. Mean Difference	Std. Mean Difference
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	Weight	IV, Fixed, 95% CI	IV, Fixed, 95% CI
QuR	160.02	51.99	3	242.75	173.74	27	1.6%	-0.48 [-1.68, 0.72]	<del></del>
Gong J	174.8	68.4	28	131	59.9	161	14.1%	0.71 [0.30, 1.12]	<del></del>
Zhu Z	210.46	136.7	16	160	63.2	111	8.3%	0.66 [0.13, 1.19]	<del></del>
Sun S	246	213.9	27	160.7	67.3	89	12.0%	0.72 [0.28, 1.16]	_ <del></del>
Zhou Y	262	196	164	181	97	140	44.5%	0.51 [0.28, 0.74]	
Ok F	197.8	132	54	143.6	69.8	85	19.4%	0.55 [0.20, 0.89]	-
Total (95% CI)			292			613	100.0%	0.57 [0.41, 0.72]	•
Heterogeneity: Chi² = 4.23, df = 5 (P = 0.52); $I$ ² = 0% Test for overall effect: $Z$ = 7.27 (P < 0.00001)									-4 -2 0 2 4 Favours [non-severe] Favours [severe]